Contents

Preface xi

SECTION I. THE STATUS OF MOVPE: INVITED REVIEWERS

MOVPE: is there any other technology for optoelectronics? [1]
R.L. Moon 1
First III–V-nitride-based violet laser diodes [2]
S. Nakamura 11
Recent progress in multi-wafer CBE systems [3]
H. Ando 16
Precursor chemistry: remaining challenges and some novel approaches [4]
P. O'Brien, M.A. Malik, M. Chunggaze, T. Trindade, J.R. Walsh and A.C. Jones 23
Metalorganic chemical vapor epitaxy and doping of ZnMgSSe heterostructures for blue emitting devices [5]
M. Heuken, J. Söllner, W. Taudt, S. Lampe and H. Hamadeh 30
In situ growth of nano-structures by metal-organic vapour phase epitaxy [6]
W. Seifert, N. Carlsson, J. Johansson, M.-E. Pistol and L. Samuelson 39
X-ray diffraction solutions to heteroepitaxial growth problems [7]
M.A.G. Halliwell 47
Characteristics of GaSb growth using various gallium and antimony precursors [8]
C.A. Wang, S. Salim, K.F. Jensen and A.C. Jones 55

SECTION II. REACTOR AND INDUSTRIAL STUDIES

Hydrodynamic description of epitaxial film growth in a horizontal reactor
Y. Mizuno, S.-i. Uekusa and H. Okabe 61
Heat transfer and mass transport in a multiwafer MOVPE reactor: modelling and experimental studies
T. Bergunde, M. Dauelsberg, L. Kadinski, Yu.N. Makarov, M. Weyers, D. Schmitz, G. Strauch and H. Jürgensen 66
Computational studies of the transient behavior of horizontal MOVPE reactors
C. Theodoropoulos, N.K. Ingle and T.J. Mountziaris 72
Design and operating considerations for a water-cooled close-spaced reactant injector in a production scale MOCVD reactor
D.W. Weyburne and B.S. Ahern 77
Highly uniform AlGaAs/GaAs and InGaAs(P)/InP structures grown in a multiwafer vertical rotating susceptor MOVPE reactor
X. Zhang, I. Moerman, C. Sys, P. Demeester, J.A. Crawley and E.J. Thrush 83
Highly uniform growth in a low-pressure MOVPE multiple wafer system
T. Arai, J. Hidaka, H. Tokunaga and K. Matsumoto 88
Large scale manufacturing of compound semiconductors by MOVPE
A.G. Thompson, R.A. Stall, W. Kroll, E. Armour, C. Beckham, P. Zawadzki, L. Aina and K. Siepel 92

[1] See all Sections.
[2] See also Section VI.
[3] See also Section II.
[4] See also Section III.
[5] See also Section VIII.
[6] See also Section IX.
[7] See also Section XI.
[8] See also Section XII.

Replacement of hydrides by TBAs and TBP for the growth of various III–V materials in production scale MOVPE reactors
R. Beccard, G. Lengeling, D. Schmitz, Y. Gigase and H. Jürgensen 97
Demonstration of the N_2 carrier process for LP-MOVPE of III/V's
M. Hollfelder, S. Hon, B. Setzer, K. Schimpf, M. Horstmann, Th. Schäpers, D. Schmitz, H. Hardtdegen and H. Lüth 103
Large- and selective-area LP-MOVPE growth of InGaAsP-based bulk and QW layers under nitrogen atmosphere
H. Roehle, H. Schroeter-Janssen and R. Kaiser 109
Highly reproducible and defect-free MOVPE overgrowth of InGaAsP-based DFB gratings
D. Franke and H. Roehle 113
MOVPE growth of ternary and quaternary tensile strained MQW structures for polarization insensitive devices
P. Wiedemann, G. Laube, J. Weber and E. Lach 117
MOVPE growth of strain-compensated 1300 nm $In_{1-x}Ga_xAs_yP_{1-y}$ quantum well structures *
C. Silfvenius, B. Stålnacke and G. Landgren 122
MOVPE growth of InP/GaInAs and GaAs/GaInP heterostructures for electronic transport applications *
N. Carlsson, S. Anand, S.-B. Carlsson, B. Gustafson, P. Omling, P. Ramvall, L. Samuelson, W. Seifert and Q. Wang 127
Influence of substrate dopant type on the optical properties of GaInAs/InP multiquantum well structures grown by low pressure MOVPE
A.K. Wood, J. Thompson, N. Carr, A.J. Moseley, P.A. Bromley, M.Q. Kearley, R.W. Martin and R.J. Nicholas 132

SECTION III. PRECURSORS

Novel single source precursors for MOCVD of AlN, GaN and InN
R.A. Fischer, A. Miehr, O. Ambacher, T. Metzger and E. Born 139
Synthesis and properties of zinc–nitrogen compounds for the MOVPE of p-type ZnSe
U.W. Pohl, S. Freitag, J. Gottfriedsen, W. Richter and H. Schumann 144
Evaluation of cracking efficiency of As and P precursors *
D. Ritter and H. Heinecke 149
Properties of $(Ga_{0.47}In_{0.53})As$ epitaxial layers grown by metalorganic vapor phase epitaxy (MOVPE) using alternative arsenic precursors
H. Protzmann, F. Höhnsdorf, Z. Spika, W. Stolz, E.O. Göbel, M. Müller and J. Lorberth 155
Growth of 1.55 μm DH laserstructures using TBAs and TBP in MOMBE
M. Keidler, M. Popp, D. Ritter, B. Marheineke, H. Heinecke, H. Baumeister and E. Veuhoff 161
MOVPE growth and characterization of GaInAs(P) on (001) InP using diethyltertiarybutylarsine (DEtBAs) and tertiarybutylphosphine (TBP) as the group-V sources
G. Kirpal, M. Gerhardt, G. Benndorf, R. Schwabe, F. Pietag, I. Pietzonka, G. Lippold, G. Wagner, R. Franzheld and V. Gottschalch 167
4d- and 5d-transition metal acceptor doping of InP
A. Dadgar, L. Köhne, J.Y. Hyeon, T. Grundemann, O. Stenzel, M. Strassburg, M. Kuttler, R. Heitz, D. Bimberg and H. Schumann 173
Magnesium-doped InGaAs using $(C_2H_5C_5H_4)_2Mg$: application to InP-based HBTs
M. Ohkubo, J. Osabe, T. Shiojima, T. Yamaguchi and T. Ninomiya 177

SECTION IV. IN-SITU MONITORING

In situ measurement of the thermal and photo-assisted MOVPE of ZnTe using laser reflectometry
A. Stafford, S.J.C. Irvine and C.L. Griffiths 182
In situ reflectance difference spectroscopy of ZnSe-based semiconductor surfaces *
M.J. Kastner, B. Hahn, R. Blumberg, E. Sossna, R. Duschl and W. Gebhardt 188
In situ monitoring of CdTe nucleation on GaAs (100) using spectroscopic ellipsometry
S. Dakshina Murthy and I.B. Bhat 193
Growth process studies by reflectance anisotropy spectroscopy on MOVPE ZnSe
D.N. Gnoth, I.B. Poole, T.L. Ng, D.A. Evans, N. Maung, J.O. Williams and A.C. Wright 198
Growth monitoring by reflectance anisotropy spectroscopy in MOVPE reactors for device fabrication
P. Kurpas, A. Rumberg, M. Weyers, K. Knorr, T. Bergunde, M. Sato and W. Richter 203

* BSPA submission.

Stranski–Krastanov formation of InAs quantum dots monitored during growth by reflectance anisotropy spectroscopy and spectroscopic ellipsometry
E. Steimetz, F. Schienle, J.-T. Zettler and W. Richter 208
Reflectance anisotropy as an in situ monitor for the growth of InP on (001) InP by pseudo-atmospheric pressure atomic layer epitaxy
D.G. Patrikarakos, N. Shukla and M.E. Pemble 215
Effects of growth temperature and V/III ratio on surface structure and ordering in $Ga_{0.5}In_{0.5}P$
H. Murata, I.H. Ho and G.B. Stringfellow 219
Chemical trend observed in anisotropic surface reflectance spectra of MOVPE by surface photoabsorption
N. Kobayashi, Y. Kobayashi and K. Uwai 225
In situ surface passivation of III–V semiconductors in MOVPE by amorphous As and P layers
K. Knorr, M. Pristovsek, U. Resch-Esser, N. Esser, M. Zorn and W. Richter 230
A high-speed high-sensitivity acoustic cell for in-line continuous monitoring of MOCVD precursor gases
A. Wajid, C. Gogol, C. Hurd, M. Hetzel, A. Spina, R. Lum, M. McDonald and R.J. Capik 237
In-line UV spectroscopy of $YBa_2Cu_3O_7$ MOCVD precursors
W.J. DeSisto and B.J. Rappoli 242

SECTION V. GROWTH AND FUNDAMENTAL STUDIES

Surface diffusion kinetics of GaAs and AlAs metalorganic vapor-phase epitaxy
M. Kasu and N. Kobayashi 246
Behaviour of vicinal InP surfaces grown by MOVPE: exploitation of AFM images
V. Thévenot, V. Souliere, H. Dumont, Y. Monteil, J. Bouix, P. Regreny and T.-M. Duc 251
Correlation of ordering formation and surface structure in (GaIn)P using modulated MOVPE
Z. Spika, C. Zimprich, W. Stolz, E.O. Göbel, J. Jiang, A. Schaper and P. Werner 257
Use of V/III ratio to produce heterostructures in ordered GaInP
Y.S. Chun, H. Murata, I.H. Ho, T.C. Hsu and G.B. Stringfellow 263
Dependence of impurity incorporation upon substrate misorientation during GaAs growth by metalorganic vapour phase epitaxy
P.R. Hageman, J. te Nijenhuis, M.J. Anders and L.J. Giling 270
Initial growth behavior of GaAs on ZnSe in MOVPE
M. Funato, S. Aoki, Sz. Fujita and Sg. Fujita 276
Influence of the growth temperature and substrate orientation on the layer properties of MOVPE-grown (Ga,In)(As,P)/GaAs
A. Knauer, I. Rechenberg, F. Bugge, S. Gramlich, G. Oelgardt, A. Oster and M. Weyers 281
The role of hydrogen in low-temperature MOVPE growth and carbon doping of $In_{0.53}Ga_{0.47}As$ for InP-based HBT
A. Lindner, P. Velling, W. Prost, A. Wiersch, E. Kuphal, A. Burchard, R. Magerle, M. Deicher and F.J. Tegude 287
Surface morphology of carbon-doped GaAs grown by MOVPE
J. Li and T.F. Kuech 292
Heavily carbon-doped GaAs grown on various oriented GaAs substrates by MOMBE
S. Hatatani, L.-Q. Guo, J.-H. Oh, H.T. Grahn and M. Konagai 297
On the use of remote RF plasma source to enhance III–V MOCVD technology
G. Bruno, M. Losurdo and P. Capezzuto 301

SECTION VI. III–V NITRIDES

Thermodynamic analysis of the MOVPE growth of $In_xGa_{1-x}N$
A. Koukitu, N. Takahashi, T. Taki and H. Seki 306
MOVPE of GaN using a specially designed two-flow horizontal reactor
K. Nishida, S. Haneda, K. Hara, H. Munekata and H. Kukimoto 312
High quality GaN grown by MOVPE
B. Beaumont, M. Vaille, T. Boufaden, B. el Jani and P. Gibart 316
Low pressure MOVPE of GaN and GaInN/GaN heterostructures
F. Scholz, V. Härle, F. Steuber, H. Bolay, A. Dörnen, B. Kaufmann, V. Syganow and A. Hangleiter 321
New dopant precursors for n-type and p-type GaN
Y. Ohuchi, K. Tadatomo, H. Nakayama, N. Kaneda, T. Detchprohm, K. Hiramatsu and N. Sawaki 325
Reduction of the defect density in GaN films using ultra-thin AlN buffer layers on 6H-SiC
S. Tanaka, S. Iwai and Y. Aoyagi 329
Growth of GaN/AlN and AlGaN by MOCVD using triethylgallium and tritertiarybutylaluminium
O. Ambacher, R. Dimitrov, D. Lentz, T. Metzger, W. Rieger and M. Stutzmann 335

Selective area epitaxy of GaN for electron field emission devices
D. Kapolnek, R.D. Underwood, B.P. Keller, S. Keller, S.P. DenBaars and U.K. Mishra 340
Study of GaN and InGaN films grown by metalorganic chemical vapour deposition
W. Van der Stricht, I. Moerman, P. Demeester, J.A. Crawley and E.J. Thrush 344
Growth of bulk InGaN films and quantum wells by atmospheric pressure metalorganic chemical vapour deposition
S. Keller, B.P. Keller, D. Kapolnek, U.K. Mishra, S.P. DenBaars, I.K. Shmagin, R.M. Kolbas and S. Krishnankutty 349
Photoluminescence excitation spectroscopy of $GaP_{1-x}N_x$ alloys: conduction-band-edge formation by nitrogen incorporation
H. Yaguchi, S. Miyoshi, G. Biwa, M. Kibune, K. Onabe, Y. Shiraki and R. Ito 353
GaN films studied by near-field scanning optical microscopy, atomic force microscopy and high resolution X-ray diffraction
J. Liu, D. Zhi, J.M. Redwing, M.A. Tischler and T.F. Kuech 357
Characterization of GaN using thermally stimulated current and photocurrent spectroscopies and its application to UV detectors
Z.C. Huang, J.C. Chen and D. Wickenden 362
The influence of strain and mosaic structure on electrical and optical properties of GaN films on sapphire substrates
A.E. Wickenden, W.B. Alexander, D.D. Koleske and J.A. Freitas Jr. 367
Photoluminescence characteristics of nitrogen atomic-layer-doped GaAs grown by MOVPE
H. Saito, T. Makimoto and N. Kobayashi 372

SECTION VII. III–V ARSENIDE/PHOSPHIDE DEVICES AND RELATED STRUCTURES

Microampere laser threshold at 80°C with InGaAs/GaAs/InGaP buried heterostructre strained quantum well lasers
K. Nakamura, S. Oshiba, M. Nakajima, S. Gotoh and H. Horikawa 377
MOVPE-grown high CW power InGaAs/InGaAsP/InGaP diode lasers
L.J. Mawst, A. Bhattacharya, M. Nesnidal, J. Lopez, D. Botez, A.V. Syrbu, V.P. Yakovlev, G.I. Suruceanu, A.Z. Mereutza, M. Jansen and R.F. Nabiev 383
High power, high speed surface emitting LEDs with an InGaAs quantum well
M. Hirotani, T.E. Sale, J. Woodhead, J.S. Roberts, P.N. Robson, T. Saka and T. Kato 390
Polarisation characteristics of visible VCSELs
Y.H. Chen, C.I. Wilkinson, J. Woodhead, J.P.R. David, C.C. Button and P.N. Robson 394
Visible (683 to 713 nm) room-temperature AlGaAs vertical cavity surface emitting lasers (VCSELs)
T.E. Sale, J.S. Roberts, J. Woodhead, J.P.R. David and P.N. Robson 399
High performance deep red AlAs/AlGaAs top-emitting VCSELs grown by MOVPE at high growth rates
M. Moser, K.H. Gulden, J. Epler and H.P. Schweizer 404
MOVPE-grown (AlGa)As double-barrier multiquantum well (DBMQW) laser diode with low vertical beam divergence
A. Mąlag and W. Strupiński 408
Luminescence characteristics of InAlP–InGaP heterostructures having native-oxide windows
M.R. Islam, R.D. Dupuis, A.L. Holmes, A.P. Curtis, N.F. Gardner, G.E. Stillman, J.E. Baker and R. Hull 413
Influence of order-domain size on the optical gain of AlGaInP laser structures
C. Geng, A. Moritz, S. Heppel, A. Mühe, J. Kuhn, P. Ernst, H. Schweizer, F. Phillipp, A. Hangleiter and F. Scholz 418
Design and optimisation of $Al_xGa_{1-x}As/Al_yGa_{1-y}As$ multilayer structures for visible wavelength applications
A. Clark, R.J. Egan and C. Jagadish 424
Growth of heavily C-doped GaAs/AlGaAs MQW structures by MOVPE for 2–3 μm normal incidence photodetectors
E. Mao and A. Majerfeld 428
GaAs–InP heteroepitaxy and GaAs–InP MESFET fabrication by MOVPE
S. Chen, B. Liu, B. Wang, M. Huang, L. Chen and C. Chen 433
InGaAs–GaAs pseudomorphic heterostructure transistors prepared by MOVPE
W.-C. Liu, L.-W. Laih, J.-H. Tsai, K.-W. Lin and C.-C. Cheng 438
MOVPE growth of GaInP/GaAs hetero-bipolar-transistors using CBr_4 as carbon dopant source
P. Kurpas, E. Richter, M. Sato, F. Brunner, D. Gutsche and M. Weyers 442
MOCVD growth of high-quality AlGaAs on Si substrates for high-efficiency solar cells
T. Soga, T. Kato, K. Baskar, C.L. Shao, T. Jimbo and M. Umeno 447
MOVPE growth for an integrated InGaAs/InP PIN-HBT receiver using Zn-doped p^+-InGaAs layers
A. Eisenbach, A. Goldhorn, E. Kuphal and K. Mause 451
Low-threshold strained multi-quantum well lasers fabricated by selective metalorganic vapor phase epitaxy without a semiconductor etching process
Y. Sakata, T. Morimoto, Y. Inomoto and H. Hasumi 456

SECTION VIII. II–VI MATERIALS, CHARACTERISATION AND DEVICE STRUCTURES

Blue-green laser diode grown by photo-assisted MOCVD
A. Toda, F. Nakamura, K. Yanashima and A. Ishibashi 461
Growth of high quality ZnSe on closely lattice-matched InGaAs substrates by metal organic chemical vapor deposition
M.J. Bevan, H.D. Shih, H.Y. Liu, A.J. Syllaios and W.M. Duncan 467
Photoassisted growth and nitrogen doping of ZnSe
B. Hahn, M. Deufel, M. Meier, M.J. Kastner, R. Blumberg and W. Gebhardt 472
Studies of prereactions during MOVPE growth of wide band-gap II/VI semiconductors: the effect of pyridine upon the gas-phase reactions between H_2S and Me_2Zn
N.L. Pickett, D.F. Foster and D.J. Cole-Hamilton 476
Growth of zincblende MgS/ZnSe superlattices and their heterointerface properties
I. Suemune, T. Obinata, K. Uesugi, H. Suzuki, H. Kumano, H. Nashiki and J. Nakahara 480
Thermal decomposition of di-tertiarybutyl selenide and dimethylzinc in a metalorganic vapour phase epitaxy reactor
G.H. Fan, N. Maung, T.L. Ng, P.F. Heelis, J.O. Williams, A.C. Wright, D.F. Foster and D.J. Cole-Hamilton 485
Nitrogen as carrier gas for the growth of ZnSe and ZnSe:N in plasma enhanced metalorganic vapor phase epitaxy
W. Taudt, A. Hardt, S. Lampe, H. Hamadeh and M. Heuken 491
Compositional control of $Cd_xZn_{1-x}Se$ grown by photoassisted organometallic vapor phase epitaxy
K.X. Bao, R. Mo, X.G. Zhang, S. Kalisetty, M. Gokhale, J. Robinson, G. Zhao, J.E. Ayers and F.C. Jain 497
Diode characteristics of Li_3N-diffused ZnSe grown by MOVPE
T. Honda, S.W. Lim, K. Inoue, K. Hara, H. Munekata, H. Kukimoto, F. Koyama and K. Iga 503
Characterization of p-type ZnSe grown by MOVPE; excitonic emission lifetime measurements
K.-i. Ogata, T. Kera, D. Kawaguchi, Sz. Fujita and Sg. Fujita 507
Deep hole trap level of nitrogen-doped ZnSe grown by metalorganic vapor phase epitaxy
H. Goto, M. Takemura and T. Ido 510
Phase diagrams for the MOVPE growth of ZnTe and ZnSeTe
S.-k. Duan and D.-c. Lu 514
Growth and doping characteristics of ZnSeTe epilayers by MOCVD
A. Kamata, H. Yoshida, S. Chichibu and H. Nakanishi 518
Metalorganic vapor phase epitaxy of $Zn_{1-x}Fe_xSe$ films
J. Peck, T.J. Mountziaris, S. Stoltz, A. Petrou and P.G. Mattocks 523
MOVPE growth of magnesium cadmium sulphide: rocksalt or sphalerite?
I.B. Poole, T.L. Ng, N. Maung, J.O. Williams and A.C. Wright 528
Optical and electrical properties of MOVPE-grown ZnSe:N using triallylamine as a nitrogen precursor
A.L. Gurskii, W. Taudt, S. Lampe, H. Hamadeh, F. Sauerländer, M. Germain, M. Basilavecchia, R. Evrard, G.P. Yablonskii and M. Heuken 533
Defects in MOVPE grown ZnSe on GaAs studied by deep level transient spectroscopy
G. Prösch, K. Hellig, R. Beyer, A. Schneider, H. Burghardt, W. Taudt, M. Heuken and D.R.T. Zahn 537
Doping in MOVPE of HgCdTe: orientation effects and growth of high performance IR photodiodes
P. Mitra, F.C. Case, M.B. Reine, R. Starr and M.H. Weiler 542
Influence of a ZnMnTe nucleation layer on the structural quality of (111) ZnTe grown by MOVPE on (100) GaAs
A. Tromson-Carli, A. Zozime, J. Ertel, M. Seibt, R. Druilhe, C. Grattepain and R. Triboulet 549
Structural study of (100)CdTe epilayers grown by MOVPE on ZnTe buffered and unbuffered (100)GaAs
M. Mazzer, M. Longo, G. Leo, N. Lovergine, A.M. Mancini, A.V. Drigo, F. Romanato, C. Zanotti Fregonara and G. Salviati 553

SECTION IX. LOW DIMENSIONAL STRUCTURES: INTERFACES, QUANTUM WELLS, QUANTUM WIRES AND QUANTUM DOTS

Observation of the 2D–3D growth mode transition in the InAs/GaAs system
M. Geiger, A. Bauknecht, F. Adler, H. Schweizer and F. Scholz 558
Direct observation of the transition from a 2D layer to 3D islands at the initial stage of InGaAs growth on GaAs by AFM
M. Kitamura, M. Nishioka, R. Schur and Y. Arakawa 563
Self organization phenomena of InGaAs/GaAs quantum dots grown by metalorganic chemical vapour deposition
F. Heinrichsdorff, A. Krost, M. Grundmann, D. Bimberg, F. Bertram, J. Christen, A. Kosogov and P. Werner 568
Breakdown of self-limiting behaviour in InAs/GaAs heterostructures grown by atomic layer epitaxy
R. Arès, S.P. Watkins and C.A. Tran 574

Formation and characterization of InGaAs strained quantum wires on GaAs multiatomic steps grown by metalorganic vapor phase epitaxy *
S. Hara, J. Motohisa and T. Fukui 579
A highly luminescent crescent-shaped tensile-strained GaAsP/AlGaAs quantum wire laser structure *
W. Pan, H. Yaguchi, Y. Hanamaki, M. Ishikawa, Y. Kaneko, K. Onabe, R. Ito and Y. Shiraki 585
Low pressure metal-organic chemical vapor deposition of InP/InAlAs/InGaAs quantum wires *
M. Kappelt, V. Türck, M. Grundmann, H. Cerva and D. Bimberg 590
Design and growth of InAlAs/InGaAlAs strained-superlattice-barrier heterostructures for use in light-emitting devices
R.V. Chelakara, P.A. Grudowski and R.D. Dupuis 595
Low-pressure OMCVD growth of AlGaAs vertical quantum wells on non-planar substrates *
G. Biasiol, E. Martinet, F. Reinhardt, A. Gustafsson and E. Kapon 600
Growth of modulation-doped GaAs/AlGaAs quantum wires on V-groove patterned substrates
A. Hartmann, M. Bongartz, M. Hollfelder, H. Hardtdegen, Ch. Dieker and H. Lüth 605
Novel quantum confined structures via atmospheric pressure MOCVD growth in asbestos and opals
H.M. Yates, W.R. Flavell, M.E. Pemble, N.P. Johnson, S.G. Romanov and C.M. Sotomayor-Torres 611
Characterisation of 2% mismatched InGaAs and InAsP layers, grown on different buffer layers and at different growth temperatures
M. D'Hondt, I. Moerman and P. Demeester 616
Optical properties of MOVPE grown $Al_xGa_{1-x}As$ quantum wells
J.S. Roberts, J.P.R. David, Y.H. Chen and T.E. Sale 621
Anomalous temperature dependence of PL characteristics in ordered InGaAsP strained layer multi-quantum well structure
N. Otsuka, M. Kito, Y. Yabuuchi, M. Ishino and Y. Matsui 626

SECTION X. SELECTIVE AREA EPITAXY

Migration-controlled narrow-stripe selective MOVPE for high-quality InGaAsP/InGaAsP MQWs
K. Kudo, T. Sasaki and M. Yamaguchi 634
Study of growth rate and composition variations in metalorganic vapour phase selective area epitaxy at atmospheric pressure and application to the growth of strained layer DBR lasers *
L. Silvestre, A. Ougazzaden, D. Delprat, A. Ramdane, C. Daguet and G. Patriarche 639
Selective area MOVPE growth of InP, InGaAs and InGaAsP using TBAs and TBP at different growth conditions
G. Zimmermann, A. Ougazzaden, A. Gloukhian, E.V.K. Rao, D. Delprat, A. Ramdane and A. Mircea 645
Surface morphology of InP/InGaAs in selective area growth by chemical beam epitaxy
C.A. Verschuren, M.R. Leys, Y.S. Oei, C.G.M. Vreeburg, H. Vonk, R.T.H. Rongen and J.H. Wolter 650
InP growth on ion-implanted InP substrate: a new method to achieve selective area MOVPE
A. Behres, H. Werner, A. Kohl and K. Heime 655
Silicon shadow mask MOVPE for in-plane thickness control of InGaAsP/InP structures
M. Suzuki, M. Aoki, M. Komori, H. Sato and S. Minagawa 661
Lateral growth rate control of GaAs on patterned substrates by CCl_4 and CBr_4 during MOCVD
S.-I. Kim, M.-S. Kim, Y. Kim, S.-M. Hwang, B.-D. Min, C.S. Son, E.K. Kim and S.-K. Min 665
Large bandgap energy control of InAlAs/InGaAs multiple quantum wells selectively grown by low-pressure MOVPE
M. Tsuji, K. Makita, T. Takeuchi and K. Taguchi 669
Selective area etching of AlGaAs/GaAs heterostructures using $AsCl_3$
J.M. Ortion, Y. Cordier, J.C. Garcia, D. Adam and M. Champagne 674
Dependence of deposition selectivity for MOVPE of AlGaAs using HCl gas on the orientation of the substrate and the orientation of the stripe of SiN_x masks
K. Fujii, K. Shimoyama, N. Hosoi, K. Kiyomi, A. Yamauchi and H. Gotoh 679
Effect of incorporation efficiency on dopant behaviors in selective-area metalorganic vapor phase epitaxy
M. Ekawa, T. Fujii and T. Tanahashi 685
Step ordering during OMCVD growth on non-planar substrates
F. Reinhardt, B. Dwir, G. Biasiol and E. Kapon 689
Control of monolayer terrace formation in selective epitaxy
D. Ottenwälder, G. Frankowsky, O. Gfrörer, A. Hangleiter and F. Scholz 695
Formation and characterization of coupled quantum dots (CQDs) by selective area metalorganic vapor phase epitaxy *
K. Kumakura, J. Motohisa and T. Fukui 700
Selective-area MOCVD growth for 1.3 μm laser diodes with a monolithically integrated waveguide lens
T. Takiguchi, T. Itagaki, M. Takemi, A. Takemoto, Y. Miyazaki, K. Shibata, Y. Hisa, K. Goto, Y. Mihashi, S. Takamiya and M. Aiga 705

Temperature dependence on the emerging crystal habit of GaInP deposited on nonplanar {001}GaAs substrates
P.L. Bastos, M.J. Anders, M.M.G. Bongers, P.R. Hageman and L.J. Giling 710
MOCVD regrowth of semi-insulating InP and p–n junction blocking layers around laser active stripes
D. Bertone, A. Bricconi, R.Y. Fang, L. Greborio, G. Magnetti, M. Meliga and R. Paoletti 715
Hexagonal facet laser with optical waveguides grown by flow-rate modulation epitaxy
S. Ando, N. Kobayashi, H. Ando and Y. Horikoshi 719
Organometallic vapor phase epitaxial growth of AlSb-based alloys
C.A. Wang 725

SECTION XI. CHARACTERISATION

Characterization of MOVPE grown InGaAsP superlattices for modulators by electron diffraction, X-ray diffraction and Z-contrast imaging
H. Lakner, S. Ungerechts, A. Behres, A. Kohl, B. Opitz, K. Heime and J. Woitok 732
Growth and characterization of InAlGaAs(P)/InGaAs(P) MQW structures
W. Vanderbauwhede, X. Zhang, I. Moerman and P. Demeester 738
Structural investigation of MOVPE grown InGaAs buffer layers
P. Maigné and D. Coulas 743
Growth and structural properties of (GaIn)As/Ga(PAs) intentionally disordered superlattice structures grown by metalorganic vapor phase epitaxy
R. Rettig, T. Marschner, L. Tapfer, W. Stolz and E.O. Göbel 748
The microstructure and thermal stability of CBE grown heavily carbon doped GaAs
S.P. Westwater and T.J. Bullough 752
Regrowth of high-quality AlGaAs and AlGaInP layers and quantum well structures on Se-doped AlGaAs by MOVPE
K.-J. Lee and J.C. Chen 757
Reduction of unintentional impurities at the interface between epitaxial layers and GaAs substrates
T. Nittono and F. Hyuga 762
Temperature induced resonant Raman scattering of MOVPE grown ZnS_xSe_{1-x}/GaAs(100) heterostructures
A. Schneider, D. Drews, J. Söllner, M. Heuken and D.R.T. Zahn 767

SECTION XII. ANTIMONIDES

Growth and characterization of Sb-based heterostructures grown by LP-MOVPE
J. Tümmler, J. Woitok, J. Hermans, J. Geurts, P. Schneider, D. Moulin, M. Behet and K. Heime 772
Growth of InAs/GaSb strained layer superlattices by MOVPE. III. Use of UV absorption to monitor alkyl stability in the reactor
G.R. Booker, M. Daly, P.C. Klipstein, M. Lakrimi, T.F. Kuech, Jiang Li, S.G. Lyapin, N.J. Mason, I.J. Murgatroyd, J.C. Portal, R.J. Nicholas, D.M. Symons, P. Vicente and P.J. Walker 777
Doping of InAs, GaSb and InPSb by low pressure MOVPE
C. von Eichel-Streiber, M. Behet, M. Heuken and K. Heime 783
Atomic force microscopy study of morphology and dislocation structure of InAs and GaSb grown on highly mismatched substrates
S.P. Watkins, R. Arès, G. Soerensen, W. Zhong, C.A. Tran, J.E. Bryce and C.R. Bolognesi 788
Photoluminescence and electrical properties of MOVPE-grown zinc-doped gallium antimonide on gallium arsenide
K. Hjelt and T. Tuomi 794

SECTION XIII. OXIDES AND NOVEL MATERIALS

Evolution of the microstructure of oxide thin films
M. Becht, F. Wang, J.G. Wen and T. Morishita 799
Growth of highly oriented TiO_2 thin films on InP(100) substrates by metalorganic chemical vapor deposition
E.K. Kim, M.H. Son, S.-K. Min, Y.K. Han and S.S. Yom 803
Structural and photoelectrical properties of FeS_2 (pyrite) thin films grown by MOCVD
B. Thomas, K. Ellmer, M. Müller, C. Höpfner, S. Fiechter and H. Tributsch 808
The growth of Zn_3As_2 on InP by atmospheric pressure MOVPE
G.J. Scriven, A.W.R. Leitch, J.H. Neethling, V.V. Kozyrkov and V.J. Watters 813
MOCVD of Bi_2Te_3, Sb_2Te_3 and their superlattice structures for thin-film thermoelectric applications
R. Venkatasubramanian, T. Colpitts, E. Watko, M. Lamvik and N. El-Masry 817

Author index 822

Subject index 834